

Central Radio Propagation Laboratory

# IONOSPHERIC PREDICTIONS

*for  
September  
1964*

TB 11-499-18/TO 31-3-28



U. S. DEPARTMENT of COMMERCE  
National Bureau of Standards  
Number 18/Issued June 1964

U.S. DEPARTMENT OF COMMERCE  
Luther H. Hodges, Secretary

NATIONAL BUREAU OF STANDARDS  
A. V. Astin, Director

Central Radio Propagation Laboratory

# Ionospheric Predictions

for September 1964

Number 18

Issued

June 1964

[Formerly "Basic Radio Propagation Predictions," CRPL Series D.]

The CRPL Ionospheric Predictions are issued monthly as an aid in determining the best sky-wave frequencies over any transmission path, at any time of day, for average conditions for the month. Issued three months in advance, each issue provides tables

of numerical coefficients that define the functions describing the predicted worldwide distribution of foF2 and M(3000)F2 and maps for each even hour of universal time of MUF(Zero)F2 and MUF(4000)F2.

NOTE: Department of Defense personnel see back cover.

Use of funds for printing this publication approved by the Director of the Bureau of the Budget (June 19, 1961).

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402. Price 15 cents.

Annual subscription (12 issues) \$1.50 (50 cents additional for foreign mailing).

---

## National Bureau of Standards

The functions of the National Bureau of Standards are set forth in an Act of Congress, March 3, 1901, as amended. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and tech-

nical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. The Bureau also serves as the Federal technical research center in a number of specialized fields.

## Central Radio Propagation Laboratory

The Central Radio Propagation Laboratory at Boulder, Colorado, is the central agency of the Federal Government for the collection, analysis, and dissemination of information on propagation of radio waves at all frequencies along the surface of the earth, in the atmosphere, and in space, and performs scientific studies looking toward new techniques for the efficient use and conservation of the radio spectrum. To carry out this responsibility, the CRPL—

1. Acts as the central agency for the conduct of basic research on the nature of radio waves, the pertinent properties of the media through which radio waves are transmitted, the interaction of radio waves with those media, and on the nature of radio noise and interference effects. This includes compilation of reports by other foreign and domestic agencies conducting research in this field and furnishing advice to government and nongovernment groups conducting propagation research.

2. Performs studies of specific radio propagation mechanisms and performs scientific studies looking

toward the development of techniques for efficient use and conservation of the radiofrequency spectrum as part of its regular program or as requested by other government agencies. In an advisory capacity, coordinates studies in this area undertaken by other government agencies.

3. Furnishes advisory and consultative service on radio wave propagation, on radiofrequency utilization, and on radio systems problems to other organizations within the United States, public and private.

4. Prepares and issues predictions of radio wave propagation and noise conditions and warnings of disturbances in these conditions.

5. Acts as a central repository for data, reports, and information in the field of radio wave propagation.

6. Performs scientific liaison and exchanges data and information with other countries to advance knowledge of radio wave propagation and interference phenomena and spectrum conservation techniques, including that liaison required by international responsibilities and agreements.

## Introduction

The "Central Radio Propagation Laboratory Ionospheric Predictions" is the successor to the former "Basic Radio Propagation Predictions," CRPL Series D. To make effective use of these predictions, National Bureau of Standards Handbook 90, "Handbook for CRPL Ionospheric Predictions Based on Numerical Methods of Mapping," should be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 20402, price 40 cents. This Handbook includes required additional data, nomographs and graphical aids, as well as methods for the use of the predictions. The Handbook supersedes the obsolete NBS Circular 465.

The basic prediction appears in tables 1 and 2, presenting predicted coefficients for  $f_oF_2$  and  $M(3000)F_2$  defining the numerical map functions describing the predicted worldwide variation of these characteristics. With additional auxiliary information, these coefficients may be used as input data for electronic computer programs solving specific high frequency propagation problems. The basic equations, their interpretation, and methods of using the numerical maps are described in two papers by W. B. Jones and R. M. Gallet, "The Representation of Diurnal and Geographic Variations of Ionospheric Data by Numerical Methods," Volume 66D, Number 4, July-August 1962, pages 419-438, and "Methods for Applying Numerical Maps of Ionospheric Characteristics," Volume 66D, Number 6, November-December 1962, pages 649-662, both in the Journal of Research of the National Bureau of Standards, Section D. Radio Propagation. The predicted numerical map coefficients of tables 1 and 2 may be purchased in the form of a tested set of punched cards. Write to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado, to arrange for the purchase of the set of punched cards and for further information and assistance in the application of computer methods and numerical prediction maps to specific propagation problems.

The graphical prediction maps, derived from the basic prediction, are provided for those unable to make use of an electronic computer. Figures 1 to 12 present world maps of MUF (Zero)  $F_2$  and MUF (4000)  $F_2$  for each even hour of universal time. Figures 13 to 16 present the same predictions for hours 00 and 12 universal time for the North and South Polar areas. Predicted polar maps for each even hour of universal time may be obtained by special arrangements with the Central Radio Propagation Laboratory. Handbook 90 describes methods for including regular E- $F_1$  propagation. Figure A is a graph of predicted and observed Zürich sunspot numbers which shows the recent trend of solar activity. Table A lists observed and predicted Zürich smoothed relative sunspot numbers and includes the sunspot number used for the current prediction.

Members of the U.S. Army, Navy, or Air Force desiring the Handbook and the Ionospheric Predictions should send requests to the proper service address; for the Navy: The Director, Naval Communications, Department of the Navy, Washington, D.C., 20350; for the Air Force: Directorate of Command Control and Communications, Headquarters, United States Air Force, Washington, D.C., 20330. Attention: AFOSCAA. Army personnel should refer to the Handbook as TM-11-499 and to the monthly predictions as TB 11-499-( ), predictions for the month of September 1964 being distributed in June 1964 and designated TB 11-499-(18), and should requisition these through normal publication channels.

Information concerning the theory of radio wave propagation and such important problems as absorption, field intensity, lowest useful high frequencies, etc., is given in National Bureau of Standards Circular 462, "Ionospheric Radio Propagation." A revised work is in preparation which will be announced in the Ionospheric Prediction series when available. Additional information about radio noise may be found in C.C.I.R. Report Number 65, "Revision of Atmospheric Noise Data," International Telecommunication Union, Geneva, 1957.

Reports to this Laboratory of experience with these predictions would be appreciated. Correspondence should be addressed to the Prediction Services Section, Central Radio Propagation Laboratory, National Bureau of Standards, Boulder, Colorado.

Table A  
Observed and Predicted Zurich Smoothed Relative  
Sunspot Numbers

Month	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1952	43 (53)	42 (51)	39 (52)	36 (52)	34 (52)	32 (52)	31 (51)	29 (49)	28 (46)	28 (43)	27 (38)	26 (33)
1953	24 (30)	22 (29)	20 (27)	19 (24)	17 (22)	15 (21)	13 (20)	12 (18)	11 (18)	10 (17)	9 (16)	7 (15)
1954	6 (14)	6 (12)	4 (11)	3 (10)	4 (10)	4 (9)	5 (8)	7 (8)	8 (8)	8 (10)	10 (10)	12 (11)
1955	14 (12)	16 (14)	20 (14)	23 (13)	29 (16)	35 (18)	40 (22)	46 (27)	55 (30)	64 (31)	73 (35)	81 (42)
1956	89 (48)	98 (53)	109 (60)	119 (68)	127 (77)	137 (89)	146 (95)	150 (105)	151 (119)	156 (135)	160 (147)	164 (150)
1957	170 (150)	172 (150)	174 (150)	181 (150)	186 (150)	188 (150)	191 (150)	194 (150)	197 (150)	200 (150)	201 (150)	200 (150)
1958	199 (150)	201 (150)	201 (150)	197 (150)	191 (150)	187 (150)	185 (150)	185 (150)	184 (150)	182 (150)	181 (150)	180 (150)
1959	179 (150)	177 (150)	174 (150)	169 (150)	165 (146)	161 (143)	156 (141)	151 (142)	146 (141)	141 (139)	137 (137)	132 (137)
1960	129 (136)	125 (135)	122 (133)	120 (130)	117 (125)	114 (120)	109 (118)	102 (115)	98 (110)	93 (108)	88 (105)	84 (100)
1961	80 (100)	75 (90)	69 (90)	64 (90)	60 (85)	56 (85)	53 (80)	52 (75)	52 (70)	51 (70)	50 (65)	49 (60)
1962	45 (60)	42 (50)	40 (48)	39 (45)	39 (42)	38 (37)	37 (34)	35 (31)	33 (29)	31 (28)	30 (27)	30 (34)
1963	29 (31)	30 (28)	30 (26)	29 (25)	29 (25)	28 (25)	28 (23)	27 (21)	27 (20)	(18)	(18)	(17)
1964	(17)	(17)	(17)	(17)	(17)	(17)	(17)	(17)	(17.5)*			

Note: Final numbers are listed through June 1963, the succeeding values being based on provisional data. The predicted numbers are in parentheses.

\* Number used for predictions in this issue.




FIG. A. PREDICTED AND OBSERVED SUNSPOT NUMBERS

COMMERCE - STANDARDS - BOULDER

TABLE 1

## TIME VARIATION

Harmonic	0		1		2		3		4		5		6		7		8	
	K	S	K	S	K	S	K	S	K	S	K	S	K	S	K	S	K	S
I	0	7.055849E-00	2.242029E-00	1.908339E-00	-7.609416E-01	1.020175E-01	-2.630157E-01	-4.731444E-01	2.322861E-01	-1.696312E-01	-4.731444E-01	2.322861E-01	-4.731444E-01	2.322861E-01	-4.731444E-01	2.322861E-01	-4.731444E-01	2.322861E-01
	1	1.935080E-02	-1.198679E-01	-9.024757E-01	2.059581E-01	-3.849474E-01	-3.183550E-03	-1.172144E-01	4.091181E-02	-1.938040E-01	-3.183550E-03	-1.172144E-01	4.091181E-02	-1.938040E-01	-3.183550E-03	-1.172144E-01	4.091181E-02	-1.938040E-01
	2	-7.142499E-01	2.781418E-00	1.657135E-01	-8.786567E-02	-2.277278E-01	-5.217277E-01	-2.777278E-01	-1.418966E-02	3.478970E-00	-5.217277E-01	-2.777278E-01	-1.418966E-02	3.478970E-00	-5.217277E-01	-2.777278E-01	-1.418966E-02	3.478970E-00
	3	1.661890E-01	-8.872349E-01	3.311698E-01	-4.750301E-01	-8.382216E-01	2.022600E-01	1.010428E-01	-1.611295E-01	2.809706E-00	2.022600E-01	1.010428E-01	-1.611295E-01	2.809706E-00	2.022600E-01	1.010428E-01	-1.611295E-01	2.809706E-00
	4	-9.665701E-01	-3.865697E-01	-2.424503E-02	-2.562024E-01	-6.969098E-01	1.205402E-01	-2.786708E-01	1.059000E-01	-1.881876E-01	-6.969098E-01	1.205402E-01	-2.786708E-01	1.059000E-01	-1.881876E-01	-6.969098E-01	1.205402E-01	-2.786708E-01
	5	1.067071E-01	-9.931402E-01	-2.057192E-01	-2.561481E-01	-1.064816E-01	-1.715061E-01	-3.620240E-01	-1.676132E-01	-2.241471E-01	-1.064816E-01	-1.715061E-01	-3.620240E-01	-1.676132E-01	-2.241471E-01	-1.064816E-01	-1.715061E-01	-3.620240E-01
	6	6.736271E-01	1.910133E-02	4.633403E-02	-8.431274E-01	-1.219691E-01	-4.808850E-01	-8.316954E-01	-3.419616E-01	4.446259E-01	-4.808850E-01	-8.316954E-01	-3.419616E-01	4.446259E-01	-4.808850E-01	-8.316954E-01	-3.419616E-01	4.446259E-01
	7	2.523800E-02	2.739216E-02	4.737682E-02	-9.805708E-01	-3.061515E-01	-1.132288E-02	-1.590926E-02	-5.294162E-01	-5.309205E-01	-3.061515E-01	-1.132288E-02	-1.590926E-02	-5.294162E-01	-5.309205E-01	-3.061515E-01	-1.132288E-02	-1.590926E-02
	8	-2.660712E-01	-3.565503E-02	-7.480264E-02	-1.201523E-02	6.582722E-01	-4.513421E-02	-6.575419E-01	-3.913288E-01	-5.149314E-01	-7.480264E-02	-1.201523E-02	6.582722E-01	-4.513421E-02	-6.575419E-01	-3.913288E-01	-5.149314E-01	-3.913288E-01
	9	-2.607125E-01	-2.984311E-02	-2.984311E-02	-1.129212E-02	7.486651E-01	-1.100557E-02	-6.575419E-01	-3.913288E-01	-5.149314E-01	-2.984311E-02	-1.129212E-02	7.486651E-01	-1.100557E-02	-6.575419E-01	-3.913288E-01	-5.149314E-01	-3.913288E-01
	10	1.038556E-02	3.043421E-02	5.974759E-02	-1.553071E-02	-7.836613E-01	-1.641263E-01	-2.489173E-01	-1.254383E-01	1.780330E-01	5.974759E-02	-1.553071E-02	-7.836613E-01	-1.641263E-01	-2.489173E-01	-1.254383E-01	1.780330E-01	5.974759E-02
	11	9.862233E-01	1.137698E-02	1.666801E-02	4.334727E-01	-7.836613E-01	-1.641263E-01	-2.489173E-01	-1.254383E-01	1.780330E-01	1.666801E-02	4.334727E-01	-7.836613E-01	-1.641263E-01	-2.489173E-01	-1.254383E-01	1.780330E-01	1.666801E-02
12	-3.098534E-01	-9.847554E-01	-1.883973E-02	6.133362E-01	2.998118E-01	3.764041E-01	2.114051E-01	1.053520E-01	-7.747721E-01	-9.847554E-01	-1.883973E-02	6.133362E-01	2.998118E-01	3.764041E-01	2.114051E-01	1.053520E-01	-7.747721E-01	
II	13	1.765359E-01	1.607834E-01	1.354480E-01	-8.726836E-02	-1.253334E-02	5.213113E-02	1.394109E-01	3.288425E-03	-6.271490E-02	1.354480E-01	-8.726836E-02	-1.253334E-02	5.213113E-02	1.394109E-01	3.288425E-03	-6.271490E-02	1.354480E-01
	14	1.671485E-01	1.487157E-01	2.786180E-01	-3.742787E-01	-1.242773E-01	-1.098119E-02	-1.098119E-02	7.632122E-02	-1.659910E-02	2.786180E-01	-3.742787E-01	-1.242773E-01	-1.098119E-02	-1.098119E-02	7.632122E-02	-1.659910E-02	2.786180E-01
	15	1.169742E-01	1.168075E-01	5.765423E-01	-2.620768E-01	-2.071088E-01	3.375133E-02	-2.440657E-01	2.814679E-01	-1.123115E-02	5.765423E-01	-2.620768E-01	-2.071088E-01	3.375133E-02	-2.440657E-01	2.814679E-01	-1.123115E-02	5.765423E-01
	16	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-7.259319E-01
	17	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	18	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	19	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	20	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	21	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	22	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	23	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
	24	-2.210362E-01	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00	-2.284047E-01	-7.259319E-01	-4.832402E-01	-1.761104E-00	-8.827806E-01	-5.571332E-01	-1.444112E-01	4.653708E-00
III	25	-6.110953E-02	-3.421447E-02	-1.067323E-02	2.863264E-02	8.093771E-02	-1.407254E-01	-2.760951E-02	-1.893004E-01	-9.880377E-01	-3.421447E-02	-1.067323E-02	2.863264E-02	8.093771E-02	-1.407254E-01	-2.760951E-02	-1.893004E-01	-9.880377E-01
	26	-1.595713E-02	-1.899775E-02	-1.251593E-02	2.763277E-01	-1.430925E-02	-2.349572E-01	-2.474438E-02	-7.939306E-01	2.015004E-02	-1.899775E-02	-1.251593E-02	2.763277E-01	-1.430925E-02	-2.349572E-01	-2.474438E-02	-7.939306E-01	2.015004E-02
	27	5.025564E-02	3.430165E-02	9.053350E-02	-2.387727E-01	-1.227652E-02	-5.175737E-01	-2.058573E-02	-6.215373E-01	6.001912E-01	9.053350E-02	-2.387727E-01	-1.227652E-02	-5.175737E-01	-2.058573E-02	-6.215373E-01	6.001912E-01	9.053350E-02
	28	1.050114E-03	1.137708E-03	1.137708E-03	4.949991E-02	3.070117E-02	6.633067E-01	2.715347E-02	8.502885E-01	3.175911E-01	1.137708E-03	1.137708E-03	4.949991E-02	3.070117E-02	6.633067E-01	2.715347E-02	8.502885E-01	3.175911E-01
	29	1.226907E-03	1.019423E-03	1.019423E-03	-5.822600E-02	-1.689081E-02	1.399883E-01	2.846693E-02	5.407063E-01	6.609605E-01	1.019423E-03	1.019423E-03	-5.822600E-02	-1.689081E-02	1.399883E-01	2.846693E-02	5.407063E-01	6.609605E-01
	30	3.205726E-02	1.667449E-02	1.667449E-02	-9.694501E-01	3.575560E-02	2.846693E-02	5.407063E-01	5.407063E-01	3.822107E-02	1.667449E-02	1.667449E-02	-9.694501E-01	3.575560E-02	2.846693E-02	5.407063E-01	5.407063E-01	3.822107E-02
	31	-8.803979E-02	-3.798224E-02	-2.816640E-02	3.2947601E-01	1.3627769E-02	-6.080287E-01	1.907217E-01	1.388605E-01	-1.114859E-01	-3.798224E-02	-2.816640E-02	3.2947601E-01	1.3627769E-02	-6.080287E-01	1.907217E-01	1.388605E-01	-1.114859E-01
	32	-1.044203E-03	-8.823870E-03	-1.015648E-03	4.562321E-02	3.323213E-02	-3.493237E-01	-2.815837E-01	-9.784301E-01	-4.014605E-01	-8.823870E-03	-1.015648E-03	4.562321E-02	3.323213E-02	-3.493237E-01	-2.815837E-01	-9.784301E-01	-4.014605E-01
	33	-1.476600E-03	-7.451748E-03	-1.020055E-03	5.521091E-02	1.656924E-02	-3.222627E-01	-2.129633E-02	-7.853734E-01	-3.779371E-02	-7.451748E-03	-1.020055E-03	5.521091E-02	1.656924E-02	-3.222627E-01	-2.129633E-02	-7.853734E-01	-3.779371E-02
	34	-9.757324E-02	-2.610197E-02	-9.822346E-01	1.350151E-02	3.847621E-02	-1.174289E-01	-4.765315E-02	-9.784301E-01	-4.014605E-01	-2.610197E-02	-9.822346E-01	1.350151E-02	3.847621E-02	-1.174289E-01	-4.765315E-02	-9.784301E-01	-4.014605E-01
	35	-2.302783E-02	4.142011E-02	4.142011E-02	-1.575438E-01	-5.400901E-02	-2.265026E-01	-7.853734E-02	3.565303E-01	1.725263E-01	4.142011E-02	4.142011E-02	-1.575438E-01	-5.400901E-02	-2.265026E-01	-7.853734E-02	3.565303E-01	1.725263E-01
	36	-0.055407E-02	2.186862E-02	1.309853E-01	-1.594236E-02	1.338717E-02	-4.012369E-01	1.793407E-02	2.199624E-01	1.122439E-02	-0.055407E-02	2.186862E-02	1.309853E-01	-1.594236E-02	1.338717E-02	-4.012369E-01	1.793407E-02	2.199624E-01
37	1.174721E-01	8.160078E-01	2.007598E-01	-6.414564E-01	1.504353E-02	-4.645898E-01	1.459763E-02	4.790505E-00	-3.967443E-01	8.160078E-01	2.007598E-01	-6.414564E-01	1.504353E-02	-4.645898E-01	1.459763E-02	4.790505E-00	-3.967443E-01	
IV	39	1.120683E-01	2.145099E-02	-4.309833E-03	-8.338617E-02	-4.139917E-02	-5.297598E-02	6.205876E-02	-2.677189E-03	-3.336707E-02	2.145099E-02	-4.309833E-03	-8.338617E-02	-4.139917E-02	-5.297598E-02	6.205876E-02	-2.677189E-03	-3.336707E-02
	40	1.153632E-01	1.295426E-02	-2.428890E-02	-8.732168E-02	-1.333460E-02	2.101413E-02	1.285520E-01	9.065543E-04	-3.119230E-02	1.295426E-02	-2.428890E-02	-8.732168E-02	-1.333460E-02	2.101413E-02	1.285520E-01	9.065543E-04	-3.119230E-02
	41	7.681941E-01	2.616710E-01	1.392644E-02	1.884917E-01	5.297560E-02	-3.130947E-02	7.627621E-02	-6.410619E-02	4.996152E-02								

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation; II - First order in longitude, III - Second order in longitude

Notation: For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign.

PREDICTED COEFFICIENTS  $D_{gk}$  DEFINING THE FUNCTION  $I(\lambda, \theta, t)$  FOR MONTHLY MEDIAN  $t_0$  F2 (Mc/s)

SEPTEMBER 1964

TABLE 2

TIME VARIATION



Harmonic	O		I		2		3		4		5		6	
	K	S	I		2		3		4		5		6	
I	0	2.9941944E 00	-1.3509222E-01	-2.7117133E-01	1.0528094E-02	-1.0638839E-01	4.7632760E-02	-3.0081837E-02	4.7632760E-02	-3.0081837E-02	4.7632760E-02	-3.0081837E-02	4.7632760E-02	-3.0081837E-02
	1	-1.8268112E-01	1.7897833E-02	-2.3603703E-01	3.5195062E-01	-5.2303029E-01	-7.8309771E-02	2.1484927E-03	-7.8309771E-02	2.1484927E-03	-7.8309771E-02	2.1484927E-03	-7.8309771E-02	2.1484927E-03
	2	9.5553194E-01	9.5553194E-01	2.9293363E 00	1.1021904E-01	-2.3500025E-01	1.0849273E 00	-5.1310919E-01	1.0849273E 00	-5.1310919E-01	1.0849273E 00	-5.1310919E-01	1.0849273E 00	-5.1310919E-01
	3	9.4382495E-01	-2.2158227E-01	1.3060138E 00	-2.1966376E 00	2.3422350E 00	3.2687222E-01	1.3772036E-01	3.2687222E-01	1.3772036E-01	3.2687222E-01	1.3772036E-01	3.2687222E-01	1.3772036E-01
	4	-6.2878744E 00	-2.3712823E 00	-7.6017348E 00	1.3060138E 00	1.3949787E 00	4.2686822E 00	1.9877819E 00	1.3949787E 00	4.2686822E 00	1.9877819E 00	4.2686822E 00	1.9877819E 00	4.2686822E 00
	5	-1.6751406E 00	6.8313988E-01	-2.1834126E 00	3.7578866E 00	-3.3592656E 00	-2.4594483E-01	-3.5503060E-01	3.7578866E 00	-3.3592656E 00	-2.4594483E-01	-3.5503060E-01	3.7578866E 00	-3.3592656E 00
	6	7.1472167E 00	2.6825546E 00	8.0616746E 00	2.1472498E 00	-2.1472498E 00	-2.1472498E 00	-2.6926764E-01	2.1472498E 00	-2.1472498E 00	-2.6926764E-01	2.1472498E 00	-2.1472498E 00	-2.6926764E-01
	7	8.8526043E-01	-4.7322934E-01	1.0639105E 00	-1.9193244E 00	1.5266247E 00	1.0426367E-01	1.2383500E-01	-1.9193244E 00	1.5266247E 00	1.0426367E-01	1.2383500E-01	-1.9193244E 00	1.0426367E-01
II	0	-2.7973331E 00	-1.1274667E 00	-3.1014537E 00	1.0973535E 00	1.0345575E 00	2.6167841E 00	1.2244218E 00	1.0973535E 00	1.0345575E 00	2.6167841E 00	1.2244218E 00	1.0973535E 00	1.0345575E 00
	9	4.3155032E-03	-7.9621706E-03	3.3477415E-02	-3.4452845E-02	8.7238871E-04	1.0103472E-02	7.8988228E-04	-7.9621706E-03	3.3477415E-02	-3.4452845E-02	8.7238871E-04	1.0103472E-02	7.8988228E-04
	10	3.1848858E-02	2.3770627E-02	3.0974943E-02	-8.8732324E-02	5.0937815E-02	2.5403475E-02	1.4031434E-03	2.3770627E-02	3.0974943E-02	-8.8732324E-02	5.0937815E-02	2.5403475E-02	1.4031434E-03
	11	1.4795734E-01	-1.3029428E-01	1.0930083E-01	-8.9701421E-02	5.2925544E-02	-2.4345502E-02	-3.2009412E-03	-1.3029428E-01	1.0930083E-01	-8.9701421E-02	5.2925544E-02	-2.4345502E-02	-3.2009412E-03
	12	-4.6297359E-01	-3.0699432E-01	-1.0562600E 00	1.5748890E-01	-8.7767775E-02	2.6160291E-01	2.1635646E-01	-3.0699432E-01	-1.0562600E 00	1.5748890E-01	-8.7767775E-02	2.6160291E-01	2.1635646E-01
	13	-9.9782263E-03	-4.0257099E-01	-7.8031817E-01	2.1946705E-01	5.6059158E-01	1.1639477E-01	3.6272019E-02	-4.0257099E-01	-7.8031817E-01	2.1946705E-01	5.6059158E-01	1.1639477E-01	3.6272019E-02
	14	-2.5530278E-01	-4.0715123E-01	6.1196777E-02	1.8276538E 00	-8.7724323E-01	-5.1830048E-01	-2.8023829E-02	-4.0715123E-01	6.1196777E-02	1.8276538E 00	-8.7724323E-01	-5.1830048E-01	-2.8023829E-02
	15	-8.3373848E-01	9.7567416E-01	2.6414866E-02	5.2435197E-01	1.2906309E-01	1.3540035E-01	2.3067270E-01	9.7567416E-01	2.6414866E-02	5.2435197E-01	1.2906309E-01	1.3540035E-01	2.3067270E-01
III	0	3.4166420E 00	1.4447880E 00	6.5820873E 00	-1.2407860E 00	4.575080E-01	-2.0108555E 00	-1.4410678E 00	1.4447880E 00	6.5820873E 00	-1.2407860E 00	4.575080E-01	-2.0108555E 00	-1.4410678E 00
	16	4.1837286E-01	3.0200749E 00	3.4087872E 00	-3.6052120E-01	3.0186590E 00	-8.9568510E-01	-1.5728024E-01	3.0200749E 00	3.4087872E 00	-3.6052120E-01	3.0186590E 00	-8.9568510E-01	-1.5728024E-01
	17	-1.6204652E-01	2.5937110E 00	-1.5239944E 00	-8.4505194E 00	3.8636094E 00	2.3986304E 00	8.1407738E-02	-1.6204652E-01	2.5937110E 00	-1.5239944E 00	-8.4505194E 00	3.8636094E 00	2.3986304E 00
	18	9.7942299E-01	-2.0906109E 00	-1.2278515E 00	8.5939769E-01	-8.0098120E-01	-1.4908920E-01	-3.4911249E-01	9.7942299E-01	-2.0906109E 00	-1.2278515E 00	8.5939769E-01	-8.0098120E-01	-3.4911249E-01
	19	-5.3043990E 00	-2.3210589E 00	-1.1153750E 01	2.8488186E 00	-7.7245951E-01	4.0327392E 00	2.8070041E 00	-5.3043990E 00	-2.3210589E 00	-1.1153750E 01	2.8488186E 00	-7.7245951E-01	4.0327392E 00
	20	-4.1898530E-01	-6.2480620E 00	-4.6842302E 00	-3.6335943E-01	-5.1824463E 00	1.7949961E 00	4.9608296E-01	-4.1898530E-01	-6.2480620E 00	-4.6842302E 00	-3.6335943E-01	-5.1824463E 00	1.7949961E 00
	21	-4.8299573E 00	-4.8299573E 00	3.3742194E 00	1.3469958E 01	-5.8673726E 00	-3.7614787E 00	-1.9792355E-01	-4.8299573E 00	-4.8299573E 00	3.3742194E 00	1.3469958E 01	-5.8673726E 00	-3.7614787E 00
	22	-2.5224043E-01	1.1316366E 00	1.4153412E 00	3.5409795E-01	7.865901E-01	6.9337828E-02	1.9110868E-01	1.1316366E 00	1.4153412E 00	3.5409795E-01	7.865901E-01	6.9337828E-02	1.9110868E-01
IV	0	3.0269875E 00	1.3668314E 00	5.9672973E 00	-1.8133480E 00	4.3653620E-01	-2.3464999E 00	-1.6754963E 00	1.3668314E 00	5.9672973E 00	-1.8133480E 00	4.3653620E-01	-2.3464999E 00	-1.6754963E 00
	23	3.0269875E 00	3.9006373E 00	2.2435430E 00	5.8396090E-01	2.7943445E 00	-1.0504710E 00	-4.6792511E-01	3.0269875E 00	3.9006373E 00	2.2435430E 00	5.8396090E-01	2.7943445E 00	-1.0504710E 00
	24	2.1921328E-01	2.6845182E 00	-2.0800106E 00	-6.8594105E 00	2.9354140E 00	1.8763349E 00	1.6440518E-01	2.1921328E-01	2.6845182E 00	-2.0800106E 00	-6.8594105E 00	2.9354140E 00	1.8763349E 00
	25	-1.9057497E 00	-2.2846974E-02	9.1279192E-03	-7.9588440E-03	6.8173463E-03	1.8592939E-04	4.3081362E-03	-1.9057497E 00	-2.2846974E-02	9.1279192E-03	-7.9588440E-03	6.8173463E-03	1.8592939E-04
	26	-9.6279137E-03	-1.7864867E-02	9.1260012E-03	-8.8171933E-03	1.3740424E-02	5.8211814E-04	2.1601987E-03	-9.6279137E-03	-1.7864867E-02	9.1260012E-03	-8.8171933E-03	1.3740424E-02	5.8211814E-04
	27	-1.1957697E-01	-1.8473443E-02	-1.0938889E-01	6.7196189E-03	2.4905394E-03	-1.0003064E-03	1.4552446E-02	-1.1957697E-01	-1.8473443E-02	-1.0938889E-01	6.7196189E-03	2.4905394E-03	-1.0003064E-03
	28	8.1554897E-02	9.2912718E-03	-1.2457633E-01	5.3944250E-02	1.987728E-03	1.1628699E-03	1.7112996E-03	8.1554897E-02	9.2912718E-03	-1.2457633E-01	5.3944250E-02	1.987728E-03	1.1628699E-03
	29	7.8769019E-03	7.7518308E-02	3.4124970E-02	-3.1289704E-03	3.4300666E-04	-1.4936011E-02	-4.7640861E-02	7.8769019E-03	7.7518308E-02	3.4124970E-02	-3.1289704E-03	3.4300666E-04	-1.4936011E-02
V	0	-1.6750356E-02	2.0553272E-01	-9.3633273E-02	-5.12044936E-03	-6.1444198E-03	-6.1444198E-03	-6.1444198E-03	-1.6750356E-02	2.0553272E-01	-9.3633273E-02	-5.12044936E-03	-6.1444198E-03	-6.1444198E-03
	1	1.9088318E-02	1.9088318E-02	2.4861630E-01	3.1321167E-01	3.6985808E-02	1.6039596E-02	-4.5256134E-03	1.9088318E-02	1.9088318E-02	2.4861630E-01	3.1321167E-01	3.6985808E-02	1.6039596E-02
	2	3.0276268E-01	1.1338027E-02	3.1321167E-01	3.6985808E-02	1.6039596E-02	-4.5256134E-03	-1.3351908E-03	3.0276268E-01	1.1338027E-02	3.1321167E-01	3.6985808E-02	1.6039596E-02	-4.5256134E-03
	3	-3.0595762E-01	-1.1338027E-02	3.1321167E-01	3.6985808E-02	1.6039596E-02	-4.5256134E-03	-2.3138008E-03	-3.0595762E-01	-1.1338027E-02	3.1321167E-01	3.6985808E-02	1.6039596E-02	-4.5256134E-03
	4	3.6596845E-02	1.5527298E-02	7.2569495E-03	-6.6049689E-03	3.5205624E-02	-1.0294765E-03	-1.3351908E-03	3.6596845E-02	1.5527298E-02	7.2569495E-03	-6.6049689E-03	3.5205624E-02	-1.0294765E-03
	5	3.1396765E-02	7.2569495E-03	-6.6049689E-03	-6.3655980E-03	-1.4110385E-03	-2.8781987E-02	8.439529E-04	3.1396765E-02	7.2569495E-03	-6.6049689E-03	-6.3655980E-03	-1.4110385E-03	-2.8781987E-02
	6	-2.9906809E-02	-7.3860642E-03	-7.3860642E-03	-6.3655980E-03	-1.4110385E-03	-2.8781987E-02	8.439529E-04	-2.9906809E-02	-7.3860642E-03	-7.3860642E-03	-6.3655980E-03	-1.4110385E-03	-2.8781987E-02
	7	-4.50333327E-02	-7.3860642E-03	-7.3860642E-03	-6.3655980E-03	-1.4110385E-03	-2.8781987E-02	8.439529E-04	-4.50333327E-02	-7.3860642E-03	-7.3860642E-03	-6.3655980E-03	-1.4110385E-03	-2.8781987E-02

GEOPHYSICAL VARIATION

Harmonic	4		5		6	
	K	S	5		6	
I	0	3.6596845E-02	1.5527298E-02	3.5205624E-02	-1.6039596E-02	-4.5256134E-03
	1	3.1396765E-02	7.2569495E-03	-1.4110385E-03	-1.0294765E-03	-1.3351908E-03
	2	-2.9906809E-02	-7.3860642E-03	-2.8781987E-02	1.5196940E-02	-2.3138008E-03
	3	-4.50333327E-02	-7.3860642E-03	-6.3655980E-03	8.439529E-04	-2.3138008E-03

I - Main latitudinal variation. Mixed latitudinal and longitudinal variation: II - First order in longitude, III - Second order in longitude.  
Notation: For each entry the number given by the first eight digits and sign is multiplied by the power of ten defined by the last two digits and sign.

SEPTEMBER 1964 UT = 00



SEPTEMBER 1964 UT = 02




FIG 2A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG 2B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SEPTEMBER 1964 UT = 04




FIG. 3A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)






FIG. 3B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SEPTEMBER 1964 UT=06



SEPTEMBER 1964 UT=08




FIG 5A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG 5B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SEPTEMBER 1964 UT = 10




FIG 6A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG 6B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SEPTEMBER 1964 UT=12




FIG 7A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)








FIG 7B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SEPTEMBER 1964 UT= 14



SEPTEMBER 1964 UT=16



SEPTEMBER 1964 UT=18

LONGITUDE




FIG 10A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)

LONGITUDE






FIG 10B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SEPTEMBER 1964 UT = 20



SEPTEMBER 1964 UT=22




FIG.12A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG.12B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

NORTH POLAR AREA  
SEPTEMBER 1964 UT = 00




FIG. 13A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 13B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SOUTH POLAR AREA  
SEPTEMBER 1964 UT = 00




FIG. 14A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)




FIG. 14B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

NORTH POLAR AREA  
SEPTEMBER 1964 UT = 12




FIG. 15A. PREDICTED MEDIAN MUF(ZERO)F2 (Mc/s)




FIG. 15B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

SOUTH POLAR AREA  
SEPTEMBER 1964 UT = 12




FIG. 16A. PREDICTED MEDIAN MUF(0)F2 (Mc/s)




FIG. 16B. PREDICTED MEDIAN MUF(4000)F2 (Mc/s)

UNITED STATES  
GOVERNMENT PRINTING OFFICE  
DIVISION OF PUBLIC DOCUMENTS  
WASHINGTON, D. C., 20402

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE. \$300  
(GPO)

DEPARTMENTS OF THE ARMY  
AND THE AIR FORCE

WASHINGTON, D. C., 20301, 1 June 1964

TB 11-499-18/TO 31-3-28, Central Radio Propagation Laboratory Ionospheric Predictions for September 1964, is published for the use of all concerned.

BY ORDER OF THE SECRETARIES OF THE ARMY AND THE AIR FORCE:

EARLE G. WHEELER,  
*General, United States Army,*  
*Chief of Staff.*

OFFICIAL:

J. C. LAMBERT,  
*Major General, United States Army,*  
*The Adjutant General.*

CURTIS E. LEMAY,  
*Chief of Staff, United States Air Force.*

OFFICIAL:

R. J. PUGH,  
*Colonel, United States Air Force,*  
*Director of Administrative Services.*

DISTRIBUTION:

*Active Army:*

USASA (4); USA Elet Comd (1); USA MI Comd (2); USA Test & Eval Comd (1); USACECD Agcy (1); USCONARC (3); ARADCOM (2); OS Maj Comd (5); OS Base Comd (2); Log Comd (2); MDW (1); Armies (5); Corps (2); Div (2); USA Elet RD Actv, Fort Huachuca (4), White Sands (4); Svc Colleges (4); Br Svc Sch (4) except USASCS (20); USAADCEN (2); ARADCOM Rgn (2); WSMR (2); USA Elet RD Agcy (4); JBUSMC (12); USA Corps (1); USA Mbl Equip Cen (2); USAEPG (2); USAMC (1); USACDA (1); Atlanta Army Dep (1); USSTRICOM (1); USASA Bd (1); USASA, Europe (1); USASA, Pacific (1); USASA, Alaska (1); USASA, USARSOUTHCOM (1); MAAG (Pakistan) (6); Units org under fol TOE: 11-18 (1); 11-95 (1); 11-500 (TM AC) (1).

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320-50.